UNITED STATES PATENT AND TRADEMARK OFFICE UNITED STATES DEPARTMENT OF COMM United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov				
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/589,881	06/09/2000	Jeongmin Moon	3430-0105P	1734
7590 02/26/2009 Birch Stewart Kolasch & Birch LLP P O Box 747 Falls Church, VA 22040-0747		EXAMINER NGUYEN, HOAN C		
			ART UNIT	PAPER NUMBER
			2871	
			MAIL DATE	DELIVERY MODE
			02/26/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

1	RECORD OF ORAL HEARING
2	
3	UNITED STATES PATENT AND TRADEMARK OFFICE
4	
5	
6	BEFORE THE BOARD OF PATENT APPEALS
7	AND INTERFERENCES
8	
9	
10	Ex parte JEONGMIN MOON
11	
12	
13	Appeal 2009-0067
14	Application 09/589,881
15	Technology Center 2800
16	
17	
18	Oral Hearing Held: February 10, 2009
19	
20	
21	
22	Before TERRY J. OWENS, PETER F. KRATZ, and
23	JEFFREY B. ROBERTSON, Administrative Patent Judges
24	
25	ON BEHALF OF THE APPELLANT:
26	Robert J. Webster, Esquire
27	BIRCH, STEWART, KOLASCH, BIRCH LLP
28	Suite 100-E
29	8110 Gatehouse Road
30	Falls Church, VA 22042
31	
32	
33	
34	
a -	
35	

MS. BOBO-ALLEN: Calendar No. 15, Appeal No. 2009-0067. Mr.
 Webster.

MR. WEBSTER: Good morning. All of the claims except for
independent claim 10 are rejected under 35 U.S.C. 102(e) as anticipated by
Shinji, U.S. Patent 6,259,854, so I will focus most of my comments this
morning on that particular patent.

7 One of the independent claims, claim 10, is rejected under 102(b) as 8 anticipated by a European patent application publication to Funamoto. 9 The -- there are four independent claims. Claim 1 is a subcombination claim 10 as are claims 11 and 21. They're primarily directed to the auxiliary light 11 source for a reflective liquid crystal display device. They recite the light 12 source, for example, claim 1 recites the light source and the light directing member details. There's an angle between the lower surface of the light 13 14 directing member and side surface of the convex portion that sticks out from 15 the lower surface of the light directing member at about 90 degrees. And the 16 light reflected perpendicular to the LCD device is recited as being uniform. 17 So the basic two characteristics of all the claims are the fact that we have this about 90 degree angle feature and the uniform illumination feature. 18

Claim 10 is a combination of the LCD panel with the subcombination
of claim 1, those type features, and claim 11 and claim 21 are
subcombination claims. Claim 21 has also got an additional feature of the
spacing between the projecting members decreasing as they go away from
where the light source is located.

The, the basic reference, Shinji, has got similar, a similar device. It's
for giving a substantial uniform illumination for a reflective liquid crystal
display device. Now Shinji says that his uniform illumination has two

aspects. One is scattering reflection efficiency and another is a ray utility
factor, and what Shinji wants to do is figure out how he can get the most
uniform illumination by combining the scattering reflection efficiency and
the ray utility factor.

5 Now Shinji says primarily, and this part of Shinji is exhaustively 6 treated both by the Examiner and in the brief and the reply brief, primarily in 7 column 7 starting at line 5 and going down to about line 40, and what we 8 gather from that is that a trapezoidal pattern on these projections whose 9 slope angle is greater than 5 degrees is preferable in terms of the scattering 10 reflection efficiency. And when you go down further towards line 34, 35 and 36, he indicates that a pattern having a trapezoidal slope angle of 10 to 11 12 30 degrees is desirable to have large ray utility factor and to reduce loss, and if you take a look at Table 1, Table 1 has got seven specific embodiments 13 14 and two comparative embodiments that if you read the spec, they didn't 15 really work out too well, the comparative embodiments, but the, the seven specific embodiments that were made all have a slope angle of between 20 16 17 and 25 degrees.

18 So I believe that one of ordinary skill in the art taking a look at Shinji 19 would focus on the fact that you want to improve both the scattering 20 reflection efficiency and the ray utility factor, and in order to do that you're 21 really have to going to come up -- you're going to have to come up with, to 22 get extremely uniform lamination, which goes up to about 80 percent, the 23 efficiency is about -- of uniform lamination is about 80 percent, is if you 24 have this angle between 20 and 25 degrees, although the specification does 25 indicate that the individual components can work like the scattering 26 reflection efficiency is -- tends to be good if the -- that angle is greater than 5

1 degrees and the ray utility factor is in a good range if it's between 10 and 30. 2 But the focus of this Shinji's actual embodiments are that that angle is between 20 and 25 degrees. 3 4 JUDGE ROBERTSON: Mr. Webster. 5 MR. WEBSTER: Yes. 6 JUDGE ROBERTSON: What is the difference between the devices 7 of comparative embodiments 1 and 2 and your, and your device? 8 MR. WEBSTER: In the comparative ones? 9 JUDGE ROBERTSON: Yes. 10 MR. WEBSTER: The comparative ones seem to -- I mean when I, when I read about the comparative ones, they seem to say that like in -- for 11 12 the first comparative, says when the distribution of luminance was 13 measured, its uniformity ratio was bad. So I thought that, that the 14 comparative example, which had the less than 3 degrees, indicated it was 15 bad, and that's consistent with what is disclosed in column 7 that says you 16 definitely don't want it lower than 2 degrees. 17 JUDGE ROBERTSON: But structurally speaking, the, the structure 18 of the convex portions of the light guide --19 MR. WEBSTER: Right. 20 JUDGE ROBERTSON: -- are they -- I mean you, you do not 21 challenge in your brief that angles, you know, the 0 to 2 angles --22 MR. WEBSTER: No. 23 JUDGE ROBERTSON: -- are, are not different? 24 MR. WEBSTER: No, you can clearly make a device, if you follow 25 this guy's -- if you follow Shinji's disclosure, you can clearly make a device that anticipates our claims. But what I'm saying is -- anticipates the angle 26

aspect of the claim. But it does not anticipate the uniform illusion -- uniform
 illumination aspect of the claim.

3 JUDGE ROBERTSON: Well, that's what I'm trying to figure out, if 4 the, the angle of the convex portions are the same and why is the -- why 5 would the, the reflectance be -- the refraction pattern be different in Shinji's 6 comparative examples than yours? 7 MR. WEBSTER: You mean just the two -- you mean for like 8 embodiments 1 through 7 or 1 through 6? 9 JUDGE ROBERTSON: No, I mean --10 MR. WEBSTER: The comparative embodiments 1 through 2? 11 JUDGE ROBERTSON: Yeah, the comparative embodiments, 12 because Shinji apparently made those devices. 13 MR. WEBSTER: Right, but he indicates --14 JUDGE ROBERTSON: And then tested them. 15 MR. WEBSTER: -- that he gets bad results with comparative 16 embodiment 1, and he indicates with the second comparative example, and 17 I'll quote, "It was unstable and was not suitable as a light guide." JUDGE ROBERTSON: Okay. 18 19 MR. WEBSTER: Because its luminance increases partially when 20 pressure is applied to the part of -- and part or the uniform illumination is 21 lost depending upon a fixing method. 22 JUDGE ROBERTSON: Okay, but for comparative example 1, he 23 says in column 11 that the uniformity is, is bad. 24 MR. WEBSTER: Right. 25 JUDGE ROBERTSON: What -- you have a uniformity -- you say in

25 JUDGE ROBERTSON: what -- you have a uniformity -- you say
26 your claim 1 that the device is uniform.

1

MR. WEBSTER: Right.

2 JUDGE ROBERTSON: What, what do you mean --

3 MR. WEBSTER: We don't have -- well, we don't have a quantitative 4 description in the specification of what uniformity is. Now traditionally 5 when you think of uniformity, let's say that, that you have a light guide, and let's say the length of it is this, is this wide, okay. If you were to plop the 6 7 illumination that is reflected perpendicularly across that entire length, okay, 8 you would -- let's say it's, it's up to 80 percent. Here's 100. Here's zero. 9 Let's say it's 80 percent. All right, it would be straight line. That would be 10 uniform. It would be uniform across the entire length. In other words, you wouldn't have a gauching (phonetic sp.) point. You wouldn't have a couple 11 12 of different curves. And that's basically what I think one of ordinary skill in 13 the art would interpret as uniform illumination and, and that's what the 14 disclosure is directed to, and even though we don't have any quantitative 15 description of it, I think that's what one of ordinary skill in the art would understand. 16

17

JUDGE ROBERTSON: And --

MR. WEBSTER: And I don't think that he -- I don't think he gets this, because he indicates that the distribution of illumination was bad. I mean that's basically what he says, so I think with respect to the two comparative examples, they just don't have uniform illumination. They do have a slope angle that falls within what's claimed about 90 degrees, but I don't think that they have the uniform illumination.

JUDGE OWENS: He says the uniformity ratio of 72 is bad. Wouldyou say yours is 100?

1	MR. WEBSTER: I honestly can't in good faith I can't say, because
2	I read the disclosure, and the disclosure says uniform, and, and I do know
3	that if I mean I, I was trying to, to find that out myself so that I could in
4	good faith present to you what I thought was uniform illumination, and
5	basically everything that I read indicates that uniform illumination is
6	uniform. In other words, it's it may have some variation, but it's not going
7	to be a gauching curve in the middle. It's going to tail off rapidly. It's going
8	to be relatively flat across the entire surface that you have. In three
9	dimensional in three dimensions it would be a flat plane. In two
10	dimensions it will just be a straight line.
11	JUDGE KRATZ: Now for your device you for this uniformity
12	you as the convex portions move away from the light, the light source,
13	there, there is less space in between them to help
14	MR. WEBSTER: And that's, that's disclosed in both references too.
15	The both of the applied
16	JUDGE KRATZ: Well, that's what I was going to
17	MR. WEBSTER: in other words, that and that's only in one of
18	the independent claims. That's in one of the independent claims, but as a
19	practical matter, the disclosure says that to obtain uniformity that's what you
20	do, and the prior art says that too. That's probably why that specific feature
21	in, in that particular independent claim, I think it's 11 or 21, was not
22	separately argued but because that's something that one of ordinary skill in
23	the art would understand, that that's one of the ways that you get the
24	uniformity.

JUDGE KRATZ: So -- but you could have inferior uniformity but
 still be uniform is what you're saying really, since you don't have a measure
 for it in your --

4 MR. WEBSTER: We, we do not have any quantitative measurement 5 for it at all. The only thing, the only thing I can rely upon there is the skill level of one of ordinary skill in the art, and that's really another aspect. One 6 7 of the things that I, I did want to bring up, the MPEP Section 2111.01 talks 8 about how do you interpret the claim and it's, it's -- it essentially summarizes 9 the case law, and what it says is that words have to be given their plain 10 meaning and the ordinary and plain meaning of -- I mean they don't say this about 90 degrees, but in context to this case, the ordinary and plain meaning 11 12 of about 90 degrees or anything that's at issue can be taken from a variety of 13 sources including the words of the claims themselves, and in here we not 14 only have that angle of about 90 degrees, but we have it coupled with the 15 uniform illumination. So that has to flavor what it means.

16 The remainder of the specification where we say it has to be --17 typically it's best between 0 and 10 degrees and the prosecution history and extrinsic evidence. We have no extrinsic evidence of record, but we do have 18 19 the prosecution history, and the prosecution history keeps going back and 20 forth but -- and it talks about the greater than 5 degrees which Shinji focuses 21 on for the scattering coefficient, and the 10 to 20 degrees for the, you know, 22 the geometric reflection-type factor, and the best argument that, that I think I 23 can make is the fact that Shinji's only embodiments, the ones that really 24 work, the 1 through 6, the angle is between 20 and 30 -- I mean, yeah, 20 25 and 25 degrees.

1	So whether the claimed invention differs from that, I think we would
2	have to rely upon one of ordinary skill in the art interpreting the about 90
3	degrees to be coupled with uniform illumination. And the only way that
4	Shinji gets what he considers to be uniform illumination is when that angle
5	is between 20 and 25 degrees.
6	JUDGE KRATZ: Well, yeah, I guess that, that just I guess we're
7	just, we're just
8	MR. WEBSTER: I know.
9	JUDGE KRATZ: we're not yeah, we're talking about, we're
10	talking about degree. Uniform is
11	MR. WEBSTER: Right.
12	JUDGE KRATZ: can mean different things to different people,
13	and we can have more uniform and less uniform and
14	MR. WEBSTER: Right.
15	JUDGE KRATZ: moderate uniformity and
16	MR. WEBSTER: Yeah.
17	JUDGE KRATZ: high uniformity and low uniformity
18	MR. WEBSTER: But I think one of ordinary skill in the art would try
19	to get as straight a line as possible or as flat a plane as possible.
20	JUDGE KRATZ: Okay.
21	MR. WEBSTER: That's, that's basically what I have to say.
22	JUDGE KRATZ: All right.
23	MR. WEBSTER: Now with respect to claim 10, I'll basically rest on
24	what the arguments of record are. That's with respect to the all the
25	reference
26	JUDGE KRATZ: Okay.

26 JUDGE KRATZ: Okay.

- 1 JUDGE OWENS: Well, thank you.
- 2 JUDGE KRATZ: No more questions. Thanks.
- 3 MR. WEBSTER: Thank you very much. Appreciate it.
- 4 Whereupon, the hearing concluded on February 10, 2009.